


CBM

LS RACING ENGINES



LS racing engines



turbocharged | procharged | supercharged

CBM

LS RACING



CBM LS RACING ENGINES

IG ENGINES



CBM Twin Turbocharged 454 RHS LS



**CBM**

LS RACING ENGINES

After years of real world research and development CBM Motorsports™ have come up with specifications and parts combinations that provide powerful and reliable LS Racing engine packages. All CBM Motorsports™ engines are assembled in house by professional technician's and are balanced and blueprinted using state of the art equipment and tooling.

Every engine is meticulously inspected through out the build process. Mile after mile, round after round and lap after lap CBM Motorsports™ LS Racing engines provide proven durability, reliability and race winning horsepower.

CBM Motorsports™ LS Racing engines can be found worldwide in such sanctioning bodies as LUCAS OIL RACING, S.C.O.R.E., M.O.R.E., S.N.O.R.E., B.I.T.D., Formula Drift, N.M.C.A., N.H.R.A. and the P.S.C.A..

CBM Motorsports is an authorized S.C.O.R.E. Engine Sales & Sealing Center.



LS racing engines

**CBM LS RACING ENGINES**



LS RACING ENGINES




CONTENTS

Twin Turbocharged 463 RHS LS	p2	Twin Turbocharged 425 LS	p20
Twin Turbocharged 454 RHS LS	p4	Procharged 425 LS	p20
Procharged 454 RHS LS	p6	Supercharged 425 LS	p20
Supercharged 454 RHS LS	p8	Naturally Aspirated 425 LS	p20
Naturally Aspirated 454 RHS LS	p10	Twin Turbocharged 415 LS	p21
Twin Turbocharged 440 RHS LS	p12	Procharged 415 LS	p21
Procharged 454 RHS LS	p14	Supercharged 415 LS	p21
Supercharged 440 RHS LS	p16	Naturally Aspirated 415 LS	p21
Naturally Aspirated 440 RHS LS	p18		

Each CBM Engine is made to order, pricing and packages may vary. Custom options and upgrades are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application



contents



turbocharged | procharged | supercharged

CBM Motorsports 725 South La Cadena Drive Colton CA 92324 USA t909.291.7550 CBM motorsports.com

**CBM**

TWIN TURBOCHARGED 463 RHS LS


PRECISION
TURBO &
ENGINE

Engine Type: 7.6L LS Small Block V8

Horsepower: 1600@6400 rpm

Torque: 1400 ft lbs

Compression Ratio: 9.0:1




Displacement: 463ci

Bore x Stroke (in): 4.165 x 4.250

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum

TT 463 RHS LS





TWIN TURBOCHARGED 463 RHS LS



The CBM Twin Turbocharged 463 RHS LS is a 7.6 liter twin turbocharged LS, it puts out 1600+ hp @ 6400 RPM's and 1400 ft-lbs of torque using race fuel and 20lbs of boost. It has 4.165" bore and a 4.250" stroke with a compression ratio of 9.1. This death dealer features CBM ProX 6 Bolt Cylinder Heads with Jesel rockers and a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.6L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM ProX Cylinder Heads w/Jesel Rockers.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Johnson Short Travel Race Style Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

CBM Billet Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

Edelbrock Victor JR GM EFI Intake Manifold.

CBM/Accufab Billet 105mm or Accufab 4150

Precision Turbo and Engine 62/66 Turbochargers.

Turbosmart 50mm Wastegates.

Turbosmart 38mm Blow Off Valves.

Cometic, Mahle, GM Gaskets.

TT 463 RHS LS

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$10,000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only



CBM

TWIN TURBOCHARGED 454 RHS LS

PRECISION
TURBO &
ENGINE

Engine Type: 7.4L LS Small Block V8

Horsepower: 1000@6600 rpm

Torque: 975 ft. lbs.

Compression Ratio: 9.0:1




Displacement: 454ci

Bore x Stroke (in): 4.125 x 4.250

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum





TWIN TURBOCHARGED 454 RHS LS



The CBM Twin Turbocharged 454 RHS LS is a 7.4 liter twin turbocharged LS, it puts out 1000+ hp @ 6600 RPM's and 1000 ft-lbs of torque. It has 4.125" bore and a 4.250" stroke with a compression ratio of 9.1.

This build features CBM ProX 6 Bolt Cylinder Heads with Jesel rockers and a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts.

Images may contain upgrades.

Base Package Included Components:

RHS 7.4L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM ProX Cylinder Heads w/Jesel Rockers.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Johnson Short Travel Race Style Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

CBM Billet Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

Edelbrock Victor JR GM EFI Intake Manifold.

CBM/Accufab Billet 105mm or Accufab 4150

Precision Turbo and Engine 62/66 Turbochargers.

Turbosmart 50mm Wastegates.

Turbosmart 38mm Blow Off Valves.

Cometic, Mahle, GM Gaskets.

TT 454 RHS LS

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$10,000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only

PROCHARGED 454 RHS LS



Engine Type: 7.4L LS Small Block V8

Horsepower: 900@6800 rpm

Torque: 875 ft. lbs.

Compression Ratio: 9.0:1





Displacement: 454ci

Bore x Stroke (in): 4.125 x 4.250

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum





PROCHARGED 454 RHS LS



The CBM Supercharged 454 RHS LS is a 7.4L LS with a Whipple 4.5L supercharger, it puts out 900+ hp @ 6400 RPM's and 875 ft-lbs of torque. It has 4.125" bore and a 4.250" stroke with a compression ratio of 9.1. This build features CBM ProX 6 Bolt Cylinder Heads with Jesel rockers and a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.4L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM ProX Cylinder Heads w/Jesel Rockers.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Johnson Short Travel Race Style Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

CBM Billet Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

CBM/Accufab Billet 105mm Throttle Body

Whipple 4.5L Supercharger System with Inner

Cooler, front or rear feed. (upgrade available rear feed only)

CBM Billet Double Belt Drive System

Cometic, Mahle, GM Gaskets.

PC 454 RHS LS

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$10,000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only



CBM

SUPERCHARGED 454 RHS LS



Engine Type: 7.4L LS Small Block V8

Horsepower: 900@6800 rpm

Torque: 875 ft. lbs.

Compression Ratio: 9.0:1




Displacement: 454ci

Bore x Stroke (in): 4.125 x 4.250

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum





SUPERCHARGED 454 RHS LS



The CBM Supercharged 454 RHS LS is a 7.4L LS with a Whipple 4.5L supercharger, it puts out 900+ hp @ 6400 RPM's and 875 ft-lbs of torque. It has 4.125" bore and a 4.250" stroke with a compression ratio of 9.1. This build features CBM ProX 6 Bolt Cylinder Heads with Jesel rockers and a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.4L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM ProX Cylinder Heads w/Jesel Rockers.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Johnson Short Travel Race Style Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

CBM Billet Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

CBM/Accufab Billet 105mm Throttle Body

Whipple 4.5L Supercharger System with Inner

Cooler, front or rear feed. (upgrade available rear feed only)

CBM Billet Double Belt Drive System

Cometic, Mahle, GM Gaskets.

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$10,000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only




NATURALLY ASPIRATED 454 RHS LS

Engine Type: 7.4L LS Small Block V8

Horsepower: 675@6800 rpm

Torque: 650 ft. lbs.

Compression Ratio: 11.0:1



Displacement: 454ci

Bore x Stroke (in): 4.125 x 4.250

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum





NATURALLY ASPIRATED 454 RHS LS



The CBM 454 RHS LS is a 7.4L naturally aspirated LS, it puts out 675 hp @ 6800 RPM's and 650 ft-lbs of torque. It has 4.125" bore and a 4.250" stroke with a compression ratio of 11.1. This build features CBM ProX 6 Bolt Cylinder Heads with Jesel rockers and a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.4L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM ProX Cylinder Heads w/Jesel Rockers.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Johnson Short Travel Race Style Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

CBM Billet Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

Chevrolet Performance LS Intake Manifold.

CBM/Accufab Billet 105mm Throttle Body

Cometic, Mahle, GM Gaskets.

NA 454 RHS LS

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$10,000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only

**CBM**

TWIN TURBOCHARGED 440 RHS LS


PRECISION
TURBO &
ENGINE

Engine Type: 7.0L LS Small Block V8

Horsepower: 850@7000 rpm

Torque: 700 ft. lbs.

Compression Ratio: 9.0:1




Displacement: 440ci

Bore x Stroke (in): 4.125 x 4.150

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum

TT 440 RHS LS





TWIN TURBOCHARGED 440 RHS LS



The CBM Twin Turbocharged 440 RHS LS is a 7.0 liter twin turbocharged LS, it puts out 850+ hp @ 7000 RPM's and 700 ft-lbs of torque. It has 4.125" bore and a 4.100" stroke with a compression ratio of 9.1. This build features our own custom built CNC ported LS7 cylinder heads along with a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.4L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM CNC LS7 Cylinder Heads

GM Trunioned Rocker Arms.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Chevrolet Performance LS Race Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

Chevrolet Performance Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

FAST 102mm Intake Manifold.

CBM/Accufab Billet 95mm Throttle Body

Precision Turbo and Engine 62/66 Turbochargers.

Turbosmart 50mm Wastegates.

Turbosmart 38mm Blow Off Valves.

Cometic, Mahle, GM Gaskets.

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$5.000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only



PROCHARGED 440 RHS LS




Engine Type: 7.4L LS Small Block V8

Horsepower: 900@6800 rpm

Torque: 875 ft. lbs.

Compression Ratio: 9.0:1





Displacement: 454ci

Bore x Stroke (in): 4.125 x 4.250

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum

PC 440 RHS LS





PROCHARGED 440 RHS LS



The CBM Supercharged 454 RHS LS is a 7.4L LS with a Whipple 4.5L supercharger, it puts out 900+ hp @ 6400 RPM's and 875 ft-lbs of torque. It has 4.125" bore and a 4.250" stroke with a compression ratio of 9.1. This build features CBM ProX 6 Bolt Cylinder Heads with Jesel rockers and a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.4L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM ProX Cylinder Heads w/Jesel Rockers.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Johnson Short Travel Race Style Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

CBM Billet Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

CBM/Accufab Billet 105mm Throttle Body

Whipple 4.5L Supercharger System with Inner Cooler, front or rear feed. (upgrade available rear feed only)

CBM Billet Double Belt Drive System

Cometic, Mahle, GM Gaskets.

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$10,000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only



SUPERCHARGED 440 RHS LS



Engine Type: 7.4L LS Small Block V8
Horsepower: 900@6800 rpm
Torque: 875 ft. lbs.
Compression Ratio: 9.0:1



Displacement: 454ci
Bore x Stroke (in): 4.125 x 4.250
Block: Cast Aluminum,
Iron with 6 Bolt
Cylinder Heads: Aluminum



SUPERCHARGED 440 RHS LS



The CBM Supercharged 454 RHS LS is a 7.4L LS with a Whipple 4.5L supercharger, it puts out 900+ hp @ 6400 RPM's and 875 ft-lbs of torque. It has 4.125" bore and a 4.250" stroke with a compression ratio of 9.1. This build features CBM ProX 6 Bolt Cylinder Heads with Jesel rockers and a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.4L Block.

Callies Magnum Crankshaft.

Callies Ultra Connecting Rods.

Race Tec or CBM/JE Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM ProX Cylinder Heads w/Jesel Rockers.

Manley Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .700" dual spring kit.

Johnson Short Travel Race Style Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

CBM Billet Valve Covers.

CBM Coil Relocation Brackets.

Delphi Alternator.

Gates Water Pump.

ATI Balancer.

CBM Billet Manual Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

CBM/Accufab Billet 105mm Throttle Body

Whipple 4.5L Supercharger System with Inner

Cooler, front or rear feed. (upgrade available rear feed only)

CBM Billet Double Belt Drive System

Cometic, Mahle, GM Gaskets.

SC 440 RHS LS

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$10,000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only




NATURALLY ASPIRATED 440 RHS LS

Engine Type: 7.0L LS Small Block V8

Horsepower: 630@7000 rpm

Torque: 600 ft. lbs.

Compression Ratio: 11.0:1



Displacement: 440ci

Bore x Stroke (in): 4.125 x 4.100

Block: Cast Aluminum,
Iron with 6 Bolt

Cylinder Heads: Aluminum





NATURALLY ASPIRATED 440 RHS LS



The CBM 440 RHS LS is a 7.0L naturally aspirated LS, it puts out 630 hp @ 7000 RPM's and 600 ft-lbs of torque. It has 4.125" bore and a 4.100" stroke with a compression ratio of 11.1. This build features CBM LS3X CNC Cylinder Heads with a forged lower end - fully balanced and blue printed. All CBM engines are assembled and delivered with brand new components and parts. *Images may contain upgrades.*

Base Package Included Components:

RHS 7.4L Block.

Callies Compstar Crankshaft.

Callies Compstar Connecting Rods.

Manley or Mahle Forged Pistons.

Total Seal file fit rings.

ARP Main Studs.

CBM/Comp Custom Grind Camshaft.

CBM LS3X CNC Cylinder Heads.

REV Intake/Exhaust Valves.

Manley Chromoly Push Rods.

Manley Nextec .660" dual spring kit.

GM LS7 rocker arms.

Chevrolet Performance LS Race Lifters.

Chevrolet Performance or Moroso Oil Pan.

Melling Oil Pump.

CBM Mil Spec Wiring Harness.

GM Ignition Coil Packs.

CBM Ignition Wires.

Chevrolet Performance Valve Covers

Delphi Alternator.

Gates Water Pump.

ACDelco Balancer.

ACDelco Belt Tensioner.

CBM Billet Fuel Rails, AN Fittings.

Seimens 80lbs Fuel Injectors.

Chevrolet Performance LS Intake Manifold.

CBM/Accufab Billet 95mm Throttle Body

Cometic, Mahle, GM Gaskets.

NA 440 RHS LS

Each CBM Engine is made to order, pricing and packages may vary. Custom options are also available, we have clutch kits, transmission adapter plates, power steering components, complete fuel systems, accessory drive systems and data acquisition/display systems to fit your application.

Please call for current base package and upgrade pricing, availability and a lead time.

909.291.7550 ext. 2000.

A \$5.000 deposit required when ordering.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



WARNING:
Designed For
Off Road Use Only

425

LS RACING ENGINES

TWIN TURBOCHARGED 425 LS



Engine Type: 6.95L LS Small Block V8
Horsepower: 825@6800 rpm
Torque: 700 ft. lbs.
Compression Ratio: 9.0:1
Displacement: 425ci
Bore x Stroke (in): 4.065 x 4.100

PROCHARGED 425 LS



Engine Type: 6.95L LS Small Block V8
Horsepower: 750@6800 rpm
Torque: 725 ft. lbs.
Compression Ratio: 9.0:1
Displacement: 425ci
Bore x Stroke (in): 4.065 x 4.100

SUPERCHARGED 425 LS



Engine Type: 6.95L LS Small Block V8
Horsepower: 750@6800 rpm
Torque: 725 ft. lbs.
Compression Ratio: 9.0:1
Displacement: 425ci
Bore x Stroke (in): 4.065 x 4.100

NATURALLY ASPIRATED 425 LS



Engine Type: 6.95L LS Small Block V8
Horsepower: 600@6400 rpm
Torque: 580 ft. lbs.
Compression Ratio: 11.0:1
Displacement: 425ci
Bore x Stroke (in): 4.065 x 4.100

415 LS RACING ENGINES

TWIN TURBOCHARGED 415 LS



Engine Type: 6.8L LS Small Block V8
Horsepower: 800@6800 rpm
Torque: 700 ft. lbs.
Compression Ratio: 9.0:1
Displacement: 415ci
Bore x Stroke (in): 4.065 x 4.100

PROCHARGED 415 LS



Engine Type: 6.8L LS Small Block V8
Horsepower: 725@6800 rpm
Torque: 700 ft. lbs.
Compression Ratio: 9.0:1
Displacement: 415ci
Bore x Stroke (in): 4.065 x 4.100

SUPERCHARGED 415 LS



Engine Type: 6.8L LS Small Block V8
Horsepower: 725@6800 rpm
Torque: 700 ft. lbs.
Compression Ratio: 9.0:1
Displacement: 415ci
Bore x Stroke (in): 4.065 x 4.100

NATURALLY ASPIRATED 415 LS



Engine Type: 6.8L LS Small Block V8
Horsepower: 575@6800 rpm
Torque: 525 ft. lbs.
Compression Ratio: 11.0:1
Displacement: 425ci
Bore x Stroke (in): 4.065 x 4.100

CBM motorsports

LSX
PERFORMANCE

QA1

HIGH PERFORMANCE SUSPENSION & DRIVELINE

**GM LATE
MODEL
TRUCK**

**GM
CLASSIC
TRUCK**

**GM LATE
MODEL
CAR**

**GM
CLASSIC
CAR**

Coil Overs & Shocks
Control & Trailing Arms
Drive Shafts
K Members
Springs
Suspension Kits
Sway Bars



Need help choosing the
right parts for your project?
Give CBM a call at 909.291.7550,
Shop on-line CBMmotorsports.com

Authorized retail dealer **CBM**

CBM Complete Stand Alone Wiring Harnesses with ECU kits

All CBM Motorsports™
harnesses are
completely plug
and play with
switched power,
constant power,
sensor and ground
connections required



Plug n Play
Engine Swaps

Rely on CBM Motorsports™
high-performance mil-spec
LS, LT, Ecotec and Alloytec
Standalone Wiring Harnesses
and Complete Wiring Harness
Kits to tell your racer, rod or
rail what to do next.



OUR HARNESSES ARE
MADE IN THE USA

CBM harnesses are professionally constructed with brand new OEM GM Delphi connectors
and US made TXL (polyethylene cross linked) high temperature wire to GM Specifications.

PROCHARGER

SUPERCHARGERS



ProCharger Intercooled Supercharger Systems

**CORVETTE/CAMARO
Z06/ZL1/LSX/LS7/LS3**

CBM
Authorized Dealer

Pro-X

LS Cylinder Heads



JESEL
RACING HEADS

MANLEY
RACING HEADS

REV
RACING HEADS

CBM