

AIR FILTRATION



conical | cylindrical | canastir



AIR FILTRATION



Upgrading or replacing the air filter or air cleaner on your carbureted or fuel injected engine is a great way to restore or increase your vehicle's horsepower. CBM offers a wide selection of Conical, Cylindrical, Round and Canister style high-performance air filters and air cleaners, as well as pre filters hose clamps, silicone hose connectors, air cleaner spacers, lids, and more.

CBM filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters are completely washable. Made in the USA.

CONTENTS

7.0" x 2.75"	Conical Air Filter	p1	12.0" x 4.0"	Canastir Air Filter	p11
7.0" x 3.0"	Conical Air Filter	p2	13.0" x 4.0"	Canastir Air Filter	p12
7.0" x 3.50"	Conical Air Filter	p3	14.0" x 4.0"	Canastir Air Filter	p13
7.0" x 3.90"	Conical Air Filter	p4	7.0"	Conical Pre Filter	p14
7.0" x 4.0"	Conical Air Filter	p5	9.0	Conical Pre Filter	p15
9.0" x 4.0"	Conical Air Filter	p6	11.0"	Cylindrical Pre Filter	p16
9.0" x 4.0"	Conical Air Filter	p7	13.0"	Cylindrical Pre Filter	p17
11.0" x 4.150"	Cylindrical Air Filter	p8	18.0"	Cylindrical Pre Filter	p18
13.0" x 4.150"	Cylindrical Air Filter	p9			
18.0" x 4.0"	Cylindrical Air Filter	p10			



Conical



Cylindrical




Canastir



conical | cylindrical | canastir

CBM Motorsports 725 South La Cadena Drive Colton CA 92324 USA

CBM motorsports.com



CONICAL 2.75" X 7.0"

7 Layer Heavy Duty Air Filter

Red Cotton Gauze
7.0" Length, 2.75" Inlet
Designed for extreme Conditions.
Washable.

SPECIFICATIONS

Air Filter Style:	Conical
Length (in):	7.0"
Inlet Flange Inside Diameter (in):	2.75"
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes




These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-275-7
\$49.99



Air Filter Part #	INITIAL RESTIC. (inches)	CAPACITY (gallons)	EFFICIENCY (%)	Air Flow (cfm)	Net Weight (lb)
Part #1 CBM CBM-400-7	2.4	60.0	99.01	0.00 200.0 300.0 400.0 500.0 600.0	0.000 1.441 2.060 2.739 3.428 4.117
Part #2 CBM CBM-400-7D	2.1	60.0	99.00	0.00 200.0 300.0 400.0 500.0 600.0	0.000 1.358 2.009 2.739 3.428 4.117


ISO 5011 Air Filtration Standard



AVERAGE ENVIRONMENTAL CONDITIONS & TEST SPECIFICATIONS

Temperature:	70.00 deg F	Humidity:	50.53 %
Relative Humidity:	50.53 %	Flow Pressure:	20.00 mmHg
Flow Pressure:	20.00 mmHg	Test Speed:	8.1
Test Speed:	8.1	Test Size:	4.00 inches

Testing was conducted based on the ISO 5011 Air Filtration standard.





WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CONICAL 3.0" X 7.0"


7 Layer Heavy Duty Air Filter

Red Cotton Guaze
7.0" Length, 3.0" Inlet
Designed for extreme Conditions.
Washable.



These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-300-7
\$49.99




SPECIFICATIONS

Air Filter Style:	Conical
Length (in):	7.0"
Inlet Flange Inside Diameter (in):	3.0"
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes

Air Filter: Part #	INITIAL RESTIC (TPO)	CAPACITY (grams)	EFFICIENCY (%)	Air Flow (cfm)	Self Restriction (Inches of H ₂ O)
Flow #1 CBM CBM-400-7	3.4	90.8	99.01	0.9 200.7 300.6 400.8 500.4 600.5	0.000 1.441 2.904 4.250 5.250 10.276
Flow #2 CBM CBM-400-7D	1.1	80.8	99.05	0.9 200.4 300.7 400.1 500.0 600.4	0.000 1.335 2.737 4.575 6.904 9.730

ISO 5011 Air Filtration Standard




AVERAGE ENVIRONMENTAL CONDITIONS & TEST SPECIFICATIONS

Temperature:	70.00 deg F	Humidity:	50.00 %
Relative Humidity:	50.00 %	Test Pressure:	28.50 inHg
Test Pressure:	28.50 inHg	Total Static:	8.1
Total Static:	8.1	Test Size:	4 (0) inches

Testing was conducted based on the ISO 5011 Air Filtration standard.

WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



CONICAL 3.50" X 7.0"

7 Layer Heavy Duty Air Filter

Red Cotton Gauze
7.0" Length, 3.50" Inlet
Designed for extreme Conditions.
Washable.

SPECIFICATIONS

Air Filter Style:	Conical
Length (in):	7.0"
Inlet Flange Inside Diameter (in):	3.50"
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes



These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.


#CBM-350-7
\$49.99



Filter #1 Mo. & Part #	INITIAL RESTIC. (in H ₂ O)	CAPACITY (grams)	EFFICIENCY (%)	Air Flow (cfm)	Net Restriction (in H ₂ O)
CBM-400-7	3.4	96.2	99.81	0.0	0.000
				200.7	1.441
				300.5	2.908
				360.8	4.950
				480.1	7.250
				597.5	10.276

Filter #2	INITIAL RESTIC. (in H ₂ O)	CAPACITY (grams)	EFFICIENCY (%)	Air Flow (cfm)	Net Restriction (in H ₂ O)
CBM-400-7D	2.1	80.8	99.85	0.0	0.000
				200.4	1.258
				300.7	2.735
				400.1	4.578
				499.0	6.904
				598.4	9.780


ISO 5011 Air Filtration Standard



AVERAGE ENVIRONMENTAL CONDITIONS & TEST SPECIFICATIONS

Temperature:	70.00 deg F	Humidity:	50.00 %
Relative Humidity:	50.00 %	Bar Pressure:	29.92 inHg
Bar Pressure:	29.92 inHg	Test Space:	8.11 inches
Test Space:	8.11 inches	Test Rate:	4.00 inches

Testing was conducted based on the ISO 5011 Air Filtration standard.





WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CONICAL 3.90" X 7.0"


7 Layer Heavy Duty Air Filter

Red Cotton Guaze
7.0" Length, 3.90 Inlet
Designed for extreme Conditions.
Washable.



These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-390-7
\$49.99




SPECIFICATIONS

Air Filter Style:	Conical
Length (in):	7.0"
Inlet Flange Inside Diameter (in):	3.90"
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes

Part #1	Part #2	INITIAL RESTIC (TPO)	CAPACITY (grams)	EFFICIENCY (%)	Air Flow (cfm)	Self Restriction (TPO)
CBM	CBM-400-7	3.4	90.8	99.01	0.000	0.000
					200.7	1.441
					300.0	2.904
					400.0	4.250
					500.0	5.750
					600.0	7.250

Part #1	Part #2	INITIAL RESTIC (TPO)	CAPACITY (grams)	EFFICIENCY (%)	Air Flow (cfm)	Self Restriction (TPO)
CBM	CBM-400-7D	3.1	80.8	99.00	0.000	0.000
					200.4	1.335
					300.7	2.737
					400.1	4.275
					500.0	5.904
					600.4	7.750

ISO 5011 Air Filtration Standard




AVERAGE ENVIRONMENTAL CONDITIONS & TEST SPECIFICATIONS

Temperature:	70.00 deg F	Humidity:	50.00 %
Relative Humidity:	50.00 %	Contaminant:	CBM-400-7
Test Pressure:	29.92 inHg	Container:	CBM-400-7
Test Stand:	8.1	Flow Rate:	11.2 cfm
Test Size:	4.00 inches	Flow Rate:	11.2 cfm

Testing was conducted based on the ISO 5011 Air Filtration standard.

WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



CONICAL 4.0" X 7.0"

7 Layer Heavy Duty Air Filter

Red Cotton Gauze
7.0" Length, 4.0" Inlet
Designed for extreme Conditions.
Washable.

SPECIFICATIONS

Air Filter Style:	Conical
Length (in):	7.0"
Inlet Flange Inside Diameter (in):	4.0"
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes




These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-400-7
\$49.99



Air Filter: Make & Part #	INITIAL RESTRICTION (in H ₂ O)	CAPACITY (gpm)	EFFICIENCY (%)	Air Flow (cfm)	Air Flow (l/min)
Flow #1 CBM CBM-400-7	3.4	66.3	99.01	0.9 200.7 300.8 399.8 499.1 597.5	0.000 1.441 2.904 4.850 7.295 10.276
Flow #2 CBM CBM-400-7D	2.1	80.8	99.03	0.9 200.4 300.7 400.1 499.0 596.4	0.000 1.338 2.737 4.575 8.904 9.735


ISO 5011 Air Filtration Standard



AVERAGE ENVIRONMENTAL CONDITIONS & TEST SPECIFICATIONS

Temperature:	70.00 (deg F)	Humidity:	50.53 (%)
Relative Humidity:	50.53 (%)	Bar Pressure:	29.99 (mmHg)
Bar Pressure:	29.99 (mmHg)	Test Speed:	8.1 (inches)
Test Speed:	8.1 (inches)	Test Size:	4 (inches)

Testing was conducted based on the ISO 5011 Air Filtration standard.



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CONICAL 4.0" X 9.0"



7 Layer Heavy Duty Air Filter

Red Cotton Guaze

9.0" Length, 4.0 Inlet

Designed for extreme Conditions.


Washable.



These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-400-9

\$49.99




SPECIFICATIONS

Air Filter Style:	Conical
Length (in):	9.0"
Inlet Flange Inside Diameter (in):	4.0"
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes

Alt Filter ID # Part #	INITIAL RESTIC (YOG)	CAPACITY (gpm)	EFFICIENCY (%)	Alt Filter Auto	Ref (Inductor refuse of YOG)
Filter #1 CEM C804-A03-70	3.4	66.3	99.01	0.0 200.7 300.6 360.8 439.1 507.5	0.00 1.44 2.90 4.25 7.25 10.27
Filter #2 CEM C804-A03-70	1.1	60.8	99.60	0.0 200.4 299.7 400.1 499.0 598.4	0.00 1.35 2.73 4.57 8.04 9.75

ISO 5011 Air Filtration Standard




AVERAGE ENVIRONMENTAL CONDITIONS & TEST SPECIFICATIONS

Temperature	70.00	deg F	Housing	un con
Relative Humidity	50.53	%	Contaminant	Coarse
Baro Pressure	28.99	inHg	Contam. Lat #	5437C
Total Static	0.1		Dust Feed Rate	11.2
Static Rise	4.00	inches	Static Flow	475
				grams/minute

Testing was conducted based on the ISO 5011 Air Filtration standard



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



CONICAL 4.0" X 9.0"

Heavy Duty Paper Air Filter

Paper
9.0" Length, 4.0" Inlet
Designed for mild Conditions.
Non washable.

SPECIFICATIONS

Air Filter Style:	Conical
Length (in):	9.0"
Inlet Flange Inside Diameter (in):	4.0"
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Paper
Layers:	1
Filter Color:	White
Washable:	No




Paper filters come with a new clamp and are **non washable**. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-400-9-D
\$49.99




Air Filter Qty. & Page #	INITIAL MEASUREMENT (inches)	COMPRESSIVE SETBACK (inches)	EFFICIENCY (%)	ISO 5011 Rating	ISO 5011 Rating	ISO 5011 Rating
CBM-400-9-D	4.75	0.25	99.9	9.0	4.0	4.0

ISO 5011 Air Filtration Standard



AVERAGE ENVIRONMENTAL CONDITIONS & TEST SPECIFICATIONS			
Temperature	70°F	Relative Humidity	50%
Pressure	14.7 psi	Altitude	Sea Level
Test Method	ISO 5011	Test Equipment	ISO 5011
Test Date	10/10/10	Test Location	ISO 5011

Testing was conducted based on the ISO 5011 Air Filtration standard.




WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CYLINDRICAL 4.150" X 11.0"


7 Layer Heavy Duty Air Filter

Red Cotton Guaze
11.0" Length, 4.150 Inlet
Designed for extreme Conditions.
Washable.



These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-400-11
\$59.99



SPECIFICATIONS

Air Filter Style:	Cylindrical
Length (in):	11.0"
Inlet Flange Inside Diameter (in):	4.150"
Air Filter Top Measurement (in):	6.0"
Air Filter Bottom Measurement (in):	6.0"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes



CYLINDRICAL 4.150" X 13.0"

7 Layer Heavy Duty Air Filter

Red Cotton Guaze
13.0" Length, 4.150" Inlet
Designed for extreme Conditions.
Washable.

SPECIFICATIONS

Air Filter Style:	Cylindrical
Length (in):	13.0"
Inlet Flange Inside Diameter (in):	4.150"
Air Filter Top Measurement (in):	6.0"
Air Filter Bottom Measurement (in):	6.0"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes




These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-400-13
\$59.99



cylindrical




WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CYLINDRICAL 4.0" X 18.0"


7 Layer Heavy Duty Air Filter

Red Cotton Guaze
18.0" Length, 4.0 Inlet
Designed for extreme Conditions.
Washable.



These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters come with a new clamp and are completely washable. We always recommend running some type of outer wear on the filter and can be provided for an additional charge.

#CBM-1400-18
\$129.99




WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

SPECIFICATIONS

Air Filter Style:	Cylindrical
Length (in):	18.0"
Inlet Flange Inside Diameter (in):	4.0"
Air Filter Top Measurement (in):	7.0"
Air Filter Bottom Measurement (in):	7.0"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes





UMP CANISTER 4.0" X 12.0"

7 Layer Heavy Duty Air Filter

Red Cotton Guaze
12.0" Length, 4.0" Inlet
Designed for extreme Conditions.
Washable.


SPECIFICATIONS

Air Filter Style:	UMP Canister
Length (in):	12.0"
Inlet Flange Inside Diameter (in):	4.0"
Air Filter Top Measurement (in):	6.0"
Air Filter Bottom Measurement (in):	6.0"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes



Are you tired of watching fine dust and silt go right through your K&N's? So were we until we had our own filters made! These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters are completely washable.

#CBM-UMP-12
\$99.99




WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

UMP CANISTER 4.0" X 13.0"

7 Layer Heavy Duty Air Filter


Red Cotton Guaze
13.0" Length, 4.0 Inlet
Designed for extreme Conditions.
Washable.



Are you tired of watching fine dust and silt go right through your K&N's? So were we until we had our own filters made! These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters are completely washable.

cylindrical

#CBM-UMP-13
\$99.99




SPECIFICATIONS

Air Filter Style:	UMP Canister
Length (in):	13.0"
Inlet Flange Inside Diameter (in):	4.0"
Air Filter Top Measurement (in):	6.0"
Air Filter Bottom Measurement (in):	6.0"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



UMP CANISTER 4.0" X 14.0"

7 Layer Heavy Duty Air Filter

Red Cotton Gauze
14.0" Length, 4.0" Inlet
Designed for extreme Conditions.
Washable.


SPECIFICATIONS

Air Filter Style:	UMP Canister
Length (in):	14.0"
Inlet Flange Inside Diameter (in):	4.0"
Air Filter Top Measurement (in):	6.0"
Air Filter Bottom Measurement (in):	6.0"
Air Filter End Cap Material:	Rubber
Air Filter End Cap Finish:	Black/Rubber
Filter Material:	Cotton gauze
Layers:	7
Filter Color:	Red
Washable:	Yes



Are you tired of watching fine dust and silt go right through your K&N's? So were we until we had our own filters made! These filters have 3 ADDITIONAL layers over a typical K&N to improve filtering fine dust. All filters are completely washable.

#CBM-UMP-14
\$99.99




WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CONICAL PRE FILTER 7.0"

CBM Outerwares

Heat, U.V. and Puncture Resistant
7.0" Length
Designed for extreme Conditions.
Washable.



SPECIFICATIONS

Pre Filter Style:	Conical
Length (in):	7.0"
Inlet Flange Inside Diameter (in):	N/A
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
UV Resistant:	Yes
Heat Resistant:	Yes
Puncture Resistant:	Yes
Layers:	1
Pre Filter Color:	Black w/logo
Washable:	Yes


Tired of watching your filters pack with sand and dirt after one run? Here's your answer. These pre-filters are made here in the USA by Outerwears Performance Products exclusively for CBM Motorsports.

They are UV resistant, filter particles down to .005", improve air filter efficiency, extend service intervals, and are completely washable. They are also extremely tough as they are heat resistant to 450 degrees F and are puncture resistant. Will fit any conical style air filter with a 4.75" top diameter, a 5.75" base diameter and a length of 7". **Does not include the actual air filter.**

#OTW-10-1316-01-CBM
\$26.99



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov



CONICAL PRE FILTER 9.0"

CBM Outerwears

Heat, U.V. and Puncture Resistant
9.0" Length
Designed for extreme Conditions.
Washable.

SPECIFICATIONS

Pre Filter Style:	Conical
Length (in):	9.0"
Inlet Flange Inside Diameter (in):	N/A
Air Filter Top Measurement (in):	4.75"
Air Filter Bottom Measurement (in):	5.75"
UV Resistant:	Yes
Heat Resistant:	Yes
Puncture Resistant:	Yes
Layers:	1
Pre Filter Color:	Black w/logo
Washable:	Yes



Tired of watching your filters pack with sand and dirt after one run? Here's your answer. These pre-filters are made here in the USA by Outerwears Performance Products exclusively for CBM Motorsports.

They are UV resistant, filter particles down to .005", improve air filter efficiency, extend service intervals, and are completely washable. They are also extremely tough as they are heat resistant to 450 degrees F and are puncture resistant. Will fit any conical style air filter with a 4.75" top diameter, a 5.75" base diameter and a length of 9". **Does not include the actual air filter.**



#OTW-10-1220-01-CBM
\$26.99



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CYLINDRICAL PRE FILTER 11.0"

CBM Outerwares

Heat, U.V. and Puncture Resistant
11.0" Length
Designed for extreme Conditions.
Washable.



SPECIFICATIONS

Pre Filter Style:	Cylindrical
Length (in):	11.0"
Inlet Flange Inside Diameter (in):	N/A
Air Filter Top Measurement (in):	6.0"
Air Filter Bottom Measurement (in):	6.0"
UV Resistant:	Yes
Heat Resistant:	450°F
Puncture Resistant:	Yes
Layers:	1
Pre Filter Color:	Black w/logo
Washable:	Yes

Tired of watching your filters pack with sand and dirt after one run? Here's your answer. These pre-filters are made here in the USA by Outerwears Performance Products exclusively for CBM Motorsports.

They are UV resistant, filter particles down to .005", improve air filter efficiency, extend service intervals, and are completely washable. They are also extremely tough as they are heat resistant to 450 degrees F and are puncture resistant. Will fit any conical style air filter with a 6.0" top diameter, a 6.0" base diameter and a length of 11". **Does not include the actual air filter.**

#OTW-10-3112-01-CBM
\$39.99



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CYLINDRICAL PRE FILTER 13.0"

CBM Outerwears

Heat, U.V. and Puncture Resistant
13.0" Length
Designed for extreme Conditions.
Washable.

SPECIFICATIONS

Pre Filter Style:	Cylindrical
Length (in):	13.0"
Inlet Flange Inside Diameter (in):	N/A
Air Filter Top Measurement (in):	6.0"
Air Filter Bottom Measurement (in):	6.0"
UV Resistant:	Yes
Heat Resistant:	450°F
Puncture Resistant:	Yes
Layers:	1
Pre Filter Color:	Black w/logo
Washable:	Yes



Tired of watching your filters pack with sand and dirt after one run? Here's your answer. These pre-filters are made here in the USA by Outerwears Performance Products exclusively for CBM Motorsports.

They are UV resistant, filter particles down to .005", improve air filter efficiency, extend service intervals, and are completely washable. They are also extremely tough as they are heat resistant to 450 degrees F and are puncture resistant. Will fit any conical style air filter with a 6.0" top diameter, a 6.0" base diameter and a length of 13". **Does not include the actual air filter.**

cylindrical



#OTW-10-3113-01-CBM

\$39.99



WARNING:
Cancer and Reproductive Harm
www.P65.ca.gov

CYLINDRICAL PRE FILTER 18.0"

CBM Outerwares

Heat, U.V. and Puncture Resistant
18.0" Length
Designed for extreme Conditions.
Washable.



cylindrical

Tired of watching your filters pack with sand and dirt after one run? Here's your answer. These pre-filters are made here in the USA by Outerwears Performance Products exclusively for CBM Motorsports.

They are UV resistant, filter particles down to .005", improve air filter efficiency, extend service intervals, and are completely washable. They are also extremely tough as they are heat resistant to 450 degrees F and are puncture resistant. Will fit any conical style air filter with a 7.0" top diameter, a 7.0" base diameter and a length of 18". **Does not include the actual air filter.**

#OTW-10-2646-01-CBM
\$49.99



 **WARNING:**
Cancer and Reproductive Harm
www.P65.ca.gov

SPECIFICATIONS

Pre Filter Style:	Cylindrical
Length (in):	18.0"
Inlet Flange Inside Diameter (in):	N/A
Air Filter Top Measurement (in):	7.0"
Air Filter Bottom Measurement (in):	7.0"
UV Resistant:	Yes
Heat Resistant:	450°F
Puncture Resistant:	Yes
Layers:	1
Pre Filter Color:	Black w/logo
Washable:	Yes



CBM motorsports

LSX
PERFORMANCE

QA1

HIGH PERFORMANCE SUSPENSION & DRIVELINE

**GM LATE
MODEL
TRUCK**

**GM
CLASSIC
TRUCK**

**GM LATE
MODEL
CAR**

**GM
CLASSIC
CAR**

Coil Overs & Shocks
Control & Trailing Arms
Drive Shafts
K Members
Springs
Suspension Kits
Sway Bars



Need help choosing the
right parts for your project?
Give CBM a call at 909.291.7550.
Shop on-line CBMmotorsports.com

Authorized retail dealer **CBM**

CBM Complete Stand Alone Wiring Harnesses with ECU kits

All CBM Motorsports™
harnesses are
completely plug
and play with
switched power,
constant power,
sensor and ground
connections required



Plug n Play
Engine Swaps

Rely on CBM Motorsports™
high-performance mil-spec
LS, LT, Ecotec and Alloytec
Standalone Wiring Harnesses
and Complete Wiring Harness
Kits to tell your racer, rod or
rail what to do next.



OUR HARNESSES ARE
MADE IN THE USA

CBM harnesses are professionally constructed with brand new OEM GM Delphi connectors
and US made TXL (polyethylene cross linked) high temperature wire to GM Specifications.

PROCHARGER

SUPERCHARGERS



ProCharger Intercooled Supercharger Systems

**CORVETTE/CAMARO
Z06/ZL1/LSX/LS7/LS3**

CBM
Authorized Dealer

Pro-X

LS Cylinder Heads



JESEL
RACING HEADS

MANLEY
RACING HEADS

REV
RACING HEADS

CBM
Authorized Dealer

TURBOCHARGED

SUPERCHARGED

PROCHARGED



TT 463 RHS



SC 454 RHS



PC 440 RHS



2.4L ECOTEC LEA

CBM RACING ENGINES

PRECISION
TURBO &
ENGINE

WHIPPLE
Superchargers

PROCHARGER
SUPERCHARGERS

LSX
PERFORMANCE



725 South La Cadena Drive
Colton CA 92324

PRESORTED
STANDARD
U.S. POSTAGE PAID
CBM MOTORSPORTS

CBMmotorsports.com